

Bloomfield Township P.O. Box 489 4200 Telegraph Road Bloomfield Hills, MI 48303-0489 Phone (248) 433-7715 ■ Fax: 433-7729 Inspection Line (248) 594-2818

Website: http://www.bloomfieldtwp.org

RESIDENTIAL ADDITION AND ALTERATION PLAN REVIEW CHECKLIST

This list is provided as a guide to help you understand the information that must be contained on the construction drawings. This list is not all inclusive of all building codes but is used as a general guide for plan review. Please address the following items marked with an "X in the box and submit needed revisions. Show all revisions with a cloud.

\sim		N I		п	Λ	
G	ᆮ	IN	ᆮ	ĸ	А	ш

	All construction documents shall be submitted in triplicate.		
	All drawings shall be completely dimensioned.		
	Drawn to scale not less than 1/8 inch = 1 foot		
	Drawings must be clear and legible.		
	Drawing shall be prepared on sheet paper no larger than 24" X 36".		
	Complete scope of work must be clearly identified for all phases of construction, indicating compliance with 2015 Michigan Residential Code.		
	Architect or Engineer Certification is required for buildings 3,500 sq ft or larger.		
	Structural Certification may be required depending on the project's complexity.		
	All construction sites are required to be maintained in a safe condition and to be protected from unauthorized entry. All excavations exceeding 24 inches in depth, such as for basements, crawl spaces, pools and spas must be secured through the use of a 4' high fence. Construction type fencing will be allowed for a period not to exceed 30 days. At such time, should the permitted work still physically be unable to be protected and secured, a chain link fence is required to be installed and must remain in place until its removal has been authorized by the Building Official. 2015 MRC-R 104.1 & 2012 MBC Chapter 33		
GRADING PLANS			
	are required for additions and alterations that propose major grade change. (See the Grading Plan necklist.) NOTE: Grading plan and architectural proposed elevation must match.		
FOUNDA	TION PLAN		
	Foundation type showing width and depth, also indicating lead walls where needed, joining dowels, and socked perimeter drain tile. R401		
	Footing, column support pad with layout.		
	Beam size, column spacing		

FOUNDATION PLAN (CONTINUED)

		Size of support for all bearing walls and point loads above.
		Framing at stair opening, fireplace, cantilevers, etc
		Floor joist direction, size, spacing, span R502
		Basement floor thickness, vapor barrier, 4 inch stone base R506
		Walkout and/or daylight wall areas with type and size of construction
		Crawl space size and location.
		Show ground water control indicating gravity discharge or sump pump with location. R405
		Mechanical equipment location indicating high efficiency or not and required floor drain. M1411.3
		Concrete-encased electrodes are to be identified on the plans. E3607.
FL	OOR P	LANS
		Basement, first floor, second floor, attic storage, bonus room
		Intended use of each room or space
		Floor joist direction, size spacing, span R502
		Roof framing direction, size, spacing, span R802
		Size and location of all support for bearing walls and concentrated loads
		Stairway locations with direction arrow and number of risers R311.7
		Location of all required smoke detectors R314
		Location of all required carbon monoxide alarms R315
		Layout of kitchen, bath, laundry
		Show all required access openings, calling out sizes R807.1/R408.4
		Basements, habitable attics and every sleeping room shall have not less than one operable window or exterior door approved for emergency escape and rescue clearly shown on drawings. Finished basements proposed with areas of habitable space and areas of sleeping rooms shall also meet emergency egress requirements. R310.

GARAG	E
	Floor thickness. R506.
	4 inch compacted sand base/vapor barrier
	Over-dig slab support
	Slab thickness and slope direction arrow. R309.1
ROOF F	RAMING
	Identify the location, direction, size, spacing and span of all roof and ceiling frame members. R802
	Identify all concentrated load points from ends of hip and valley rafters, ceiling joists, rafters, trusses, girder trusses, beams.
	Identify roof pitch for all portions of the roof and sloped ceilings.
	NG/WALL SECTION DETIALS ng on the complexity of your project, more sections or details may be required.
	Footing and basement wall size, type and height. R401.
	Foundation wall damp proofing/waterproofing. R406.1. Pea stone, 4 inch socked drain tile or fabric material over stone bed R405.
	Finish grade elevation. R404.1.6
	Sill seal and treated sill plate. R317.1
	Anchor bolt size and spacing. R403.1.6
	Floor joist and sub-floor framing size, type
	Wall framing size, type, spacing and height including header sizes. R602.7
	Insulation R-Values for bond, wall, ceiling locations, floors over unconditioned spaces and under slab where required. Provide Michigan Energy Calculations and 2015 MRC compliance statement.
	Interior finish drywall size, and type including garage walls and ceiling. R302.6 / R702

BUILDING/WALL SECTION DETAILS (CONTINUED)

	Exterior sheathing size and type including house wrap. R703.2
	Indicate fire stopping and sealing per 2015 MRC. R602.8
	Roof construction details, size and type of sheathing, felt paper, ice and water shield, shingles, drip edge. R905 / R802
	Location, size, type, amount of attic ventilation, to shown and proven with calculation, also crawl space ventilation. R408 / R806
	Brick veneer, size, type, weather-resistive barrier, brick wall ties, flashing, and weep holes 33 inches on center. R703.8. Flashing detail for all openings through wall.
	Draftstopping required. R502.12
	Construction details and plan for the creation of walkout framing and steel plan with engineering certification.
2015 MIC	CHIGAN RESIDENTIAL CODE CHAPTER 11
	Provide documentation showing compliance. 2015 MRC Chapter 11
	Energy star requires: Thermal Bypass Checklist and energy seal 1 at rough frame inspection; certification required with insulation certification. All homes require an approved air infiltration certification prior to the rough frame inspection and a second certification after the drywall installation to be submitted prior to scheduling the final building inspection. Blower door and duct blaster listing completed and approved prior to final building inspection.
	Upon final inspection certification to be provided as outlined. 2015 MRC Chapter 11
STAIR D	ETAILS
	Stringer size and quantity. R311.5
	Tread width. R311.7.5
	Riser material and height. R311.7.4.1
	Handrail detail. R311.7.8
	Baluster and guardrail detail for all stairways, calling out material and spacing, R312

STAIR D	DETAILS (CONTINUED)
	Under stair protection. R302.7
WINDOV	N/DOOR SCHEDULE
	Sizes. R308
	Locations
	Type and fire rating of door separating garage and house. R302.5.1
	Egress windows labeled, also call out size of window well if needed. R310
	Safety or tempered glazing in required areas must be labeled. R308
	Window sill height R312
MASON	RY FIREPLACE DETAIL
	Need complete section for masonry fireplace.
	Flue size and material.
	Hearth depth, width and means of support. R1001.9
	Hearth extension, size. R1001.10
	Call out type of fireplace to be installed, masonry/insert/prefab gas log unit.
	Material used for chimney chase. R1003
	Height of chimney above roofline. R1003.9
BUILDIN	IG ELEVATIONS
	Front, sides and rear elevation showing all retaining walls.
	Façade material, window and door locations.
	Existing and proposed grade elevations that matches proposed elevations on site plan, also include building height calculations, as shown on sample A.
П	Floor Flevations

ORDINANCE

	Provide subdivision association comments on site plan and elevation of plans presented to Bloomfield Township for plan review, with all dates corresponding to current set.
	Dimensions of property lines are inaccurate provide revisions.
	Provide a full dimensioned engineered site plan
	Construction/foundation plan must agree.
	Proposed floor plan has not met the intent of the ordinance.
	Provide existing elevations for proposed addition.
	Proposed does not meet minimum floor area per unit required by ordinance.
	Provide dimension from lot to proposed building.
	Provide average lakefront setbacks.
	Provide average front yard setbacks for the proposed block along proposed street side only.
	Architectural projections(s) exceed maximum projection into required yard.
	A common roofline is required.
Th	e following requires possible approval from the Zoning Board of Appeals: Encroachment(s): Required yard, lakefront, natural feature. Insufficient lot frontage Insufficient lot square footage Proposed exceeds the maximum 30 percent lot coverage Height of proposed exceeds the 30 foot allowed Retaining walls – See Bloomfield Township Ordinance NO. 42-5.10. Provide top and bottom wall elevations with cross section detail of the proposed wall construction identifying material type and dimensions drawn to scale. Accessory Use. Accessory structure: Bloomfield Township Ordinance NO. 42-5.1. Ground mounted mechanical or electrical equipment (AC and Generators) Second Dwelling Open, unenclosed paved terrace may project into a front yard for a distance not exceeding 10 feet.
	Natural feature issues.
	Future compliance issues.

GRADING PLANS

П

RW	= Reta	ining Wall NS = Not shown ZBA = Zoning Board of Appeals NI = Not Indicated	
Ple	Please note revisions to construction documents shall be clouded, data and resubmitted in full sets		
		Setback dimensions for building envelope as per Bloomfield Township Ordinance NO. 42-3.1 & 3.6.	
		Outline footprint of all existing on-site features, (i.e. accessory structures, buildings, driveways, fences, retaining walls etc.) Existing developed sites proposed for demolition may be required to be cleared of all existing features. Intent of each feature shall be identified and clearly noted, "To be demolished and removed from site" or "To remain on site without change." Each feature will be reviewed for ordinance conformity. Zoning Board of Appeals approval may be required to retain existing on-site features.	
		Location of the existing and proposed buildings shall be clearly shown and shall include tie dimensions to the front side and rear property lines.	
		Street names and property address. (Lot # is insufficient).	
		Proper relation of the subject property with all abutting property lines.	
		Exact dimensions of the property including bearings and distances as described in the legal description.	
		Drawn to scale not less than 1" = 20'.	
		North point compass.	
		Legal description of the property including a statement affirming the property has been surveyed and boundary corners of the property have been marked by placing permanent points at each corner of the property.	
		A tree preservation survey is required to be included on the site plan as required by: Bloomfield Township Ordinance NO. 42-5.14	
		Plans shall be prepared, signed, sealed and dated by a civil engineer or land surveyor registered in Michigan. Plans shall be dated current to the year prepared for building permit submittal, not to exceed one (1) year.	
		Plans shall be prepared neatly and accurately on a minimum 24" X 36" or 18" X 24" sheet.	
		Grading plans shall be submitted in triplicate to the Building Dept. for review.	

ELEVATIONS

П	from the immediate adjacent homes to the proposed site for development. Both sides if available.
	Proposed brick ledge elevations shall not exceed the average existing brick ledge elevations taken from the immediate adjacent homes to the proposed site for development.
	Grading plan shall clearly identify extent of all proposed grade changes in relation to the existing established grade elevations and adjacent properties.
	Proposed grade cut to allow for a forced walk-out basement, shall be properly designed and detailed to control its surface runoff by means of an independent drainage system separate from the building foundation drainage system. Independent mechanical sump pump or gravity system shall discharge into an approved location.
	Forced walkouts and/or daylight basements proposed for development will be reviewed individually to determine feasibility. Total cubic yards of soil proposed for cut and/or fill shall be shown on the proposed grading plan with section detail identifying top and bottom elevations and slope.
	Location of retaining walls with top and bottom elevations. Provide section detail of the proposed wall construction identifying material type and dimensions drawn to scale.
	Elevations shall be based on U.S.G.S. datum. Benchmark locations for the work shall be indicated on the plan with its proper elevation.
	Existing grade elevations shall be shown as 50 foot on center pegged elevations across the entire property and not less than 50 feet outside the perimeter of the property lines.
	Proposed grade elevations shall be shown as 2 foot on center contour lines across the entire property. The proposed shall overlay the existing elevations.
	Proposed brick ledge elevations (PBL) shall be shown around the entire foundation perimeter footprint and at points of building corners.
	Existing brick ledge elevations (EBL) shall be shown at corners of each existing principle building on adjacent properties to the site of proposed development.
	Proposed finished floor elevations shall be identified (finished first floor, finished basement floor and finished garage floor).
	Existing finish floor elevations of the existing principal building on site proposed to be demolished shall be shown.


GRADING PLANS (CONTINUED)			
	Existing finish first floor elevations of each principle buildings on adjacent properties to the site proposed for development.		
	Proposed foundation perimeter foot print dimensions properly corresponding with the proposed building foundation plan.		
DRAIN	AGE		
	In no way shall surface runoff be directed so as to adversely impact adjacent properties with a flooding condition. The grading plan should continue as far as a storm sewer outlet or other natural outlet point of discharge to assure proper control of surface runoff. Surface runoff shall be diverted to a storm sewer or other approved point of collection so as not to create a flooding condition.		
	Swales, ditches, drainage easements, catch basins, pipes and/or other points to which surface runoff is to be directed and controlled. Centerline elevations, drainage direction arrows, pipe sizes with invert elevations shall be clearly identified.		
	Lots shall be graded so as to direct surface runoff away from foundation walls. The grade away from foundation walls shall fall a minimum of 6 inches within the first 10 feet. Where lot lines, wall, slopes or other physical barriers prohibit 6 inches of fall within 10 fee, drains or swales shall be provided to ensure drainage away from the structure.		
	Driveway perimeter edge elevations shall show proper control of surface runoff protecting the building foundation and the adjacent properties from flooding. Driveways that are proposed to extend to a property line edge shall be designed so as to control run off by means of a minimum 6 inch high curb with gutter, a driveway centerline swale or catch basin structured designed with a minimum 2 foot sump and pipe to direct runoff into an approved discharge location.		
	Sump pump and roof gutter downspout discharge locations. Maintain a minimum distance of 3 feet away from the building foundation and 20 feet away from a property line. Discharge shall be directed into an approved location (i.e. swale, pipe ditch line and/or storm sewer if available).		
UTILITI	ES		
	Location and sizes of all existing and/or proposed utilities underground and overhead including manholes, hydrants, water, sewer, storm, electric, gas, etc.		
	Location and size of water and sewer line connections into building foundation.		
п	Location and sizes of existing and/or proposed sentic system and/or well		

UTILITIES (CONTINUED)

	Location and widths of all existing and/or proposed rights-of-way and/or easements and all abutting streets and alleys. For single-family residential districts, ground-mounted mechanical or electrical equipment shall be permitted in any rear yard when placed immediately adjacent to the residential building. Said equipment may be permitted in any side yard when placed immediately adjacent to the residential building. The equipment shall not be located in the required 16 foot side yard setback. Said equipment in side yards shall be screened from view by a screen wall consisting of materials identical to those used on the main building or through the use of evergreen plant material at least the height of the equipment (screen wall) and located at the point of placement of the equipment. Screen walls, other than vegetative screen walls, shall not be located in the required 16 foot side yard setback as measured from the side lot line. It is understood that separate permits are required and to be obtained by others. Show location of Air Conditioning units
NATURA	L FEATURES
	Existing natural features such as watercourses, rivers, lakes or streams, high waters edge elevation, wetland edge and flood plain base elevation. All natural features shall be protected, identify on the site plan and denoting in the "Area of No Disturbance" including installation of a silt fence and establishment of a minimum 25-foot buffer zone. Flood plain base elevation and wetland edges shall be flagged on site for site inspection. See Natural Features Setback, Bloomfield Township Ordinance NO. 42-5.13.
	Waterfront properties proposed for development shall be prepared by and bear the signature and seal of the registered professional. Dimensions shall be taken from the closest point between the water's edge and the furthest projection of the principle building. All dimensions and calculations shall be shown. Bloomfield Township Ordinance NO. 42-5.13 -Waterfront Setbacks
SOIL ER	DSION
	Silt fence location installation details and timing sequence of re-establishment of permanent vegetation.
	Temporary gravel driveways shall be a minimum 16' X 40' area of crushed concrete; location must be indicated on site plan. Access to the building site shall be large enough to accommodate for all construction traffic. Site access shall be maintained throughout all construction phases, also a copy of Oakland County Road Commission Driveway Permit.
	You must obtain and supply the Bloomfield Township Building Division with an Oakland County Soil Erosion Permit and show silt fence location around the entire perimeter of proposed areas of soil disturbance.

A SITE INSPECTION IS REQUIRED BEFORE YOUR PERMIT CAN BE ISSUED APPROVED PLANS MUST BE ON SITE FOR REVIEW AT ALL INSPECTIONS

How to establish building height.



 To determine your building height, you must measure at all major corners of your proposed building. (1-9 show sample of what is meant by major corners.)

Calculation Example 1

- 1- 23.6 2- 22.0 3- 21.0
- 4- 18.5
- 5- 19.0 6- 21.3
- 7- 11.0
- 8- 11.0
- 9- 23.6
- After corners 1-9 are determined, you need to measure from proposed grade to the mid point of the roofline above. (See sample "A" above indicating mid point.)
- After taking measurements at each corner, you then need to add all totals together and divide by the same number of corners, which in this case are 9. See Calculation Example.

Total-171 divided by 9=19'



Bloomfield Township
P.O. Box 489, 4200 Telegraph Road
Bloomfield Township, MI 48303-0489
Phone (248) 433-7715 ■ Fax: 433-7729

Inspection Line (248) 594-2818

Website: http://www.bloomfieldtwp.org

BUILDING INSPECTION LIST

Notice – Inspections are permit specific and are dependent on the scope of the work. This is a partial list of possible required inspections. It is the responsibility of the permit holder to ensure that all work is inspected prior to covering. This list is to be used as a guide.

- Site inspection
 Sanitary sewer tap*
 Storm sewer*
 Water service*
- 5 Open trench (basement)
- 6 Open Rail
- 7 Foundation/basement walls & drains before backfill & requires Foundation Certificate
- 8 Open trench (i.e. garage, porch, post holes for decks)
- 9 Underground & rough plumbing & shower pan*
- 10 Underground heating (before sand inspection)
- 11 In-floor radiant heat (after sand inspection & before concrete pour)
- 12 Rough HVAC
- 13 Rough pre-fab fireplace
- 14 Underground electric
- 15 Rough electric
- 16 Rough fire alarm
- 17 Rough fire suppression (Any associated required tests and inspections)
- 18 Gas pressure test
- 19 Brick flashing inspection (can be at time of rough frame)
- 20 Sheathing (can be at time of rough frame)
- 21 Rough Frame (includes deck frame as required)
- 22 Compaction inspection (basement, garage, porch. Not exterior slabs on grade)
- 23 Deck ledger flashing (called at various times)
- 24 Insulation (Certification Required)
- 25 Damper
- 26 Final plumbing
- 27 Final HVAC
- 28 Final pre-fab fireplace
- 29 Final gas line
- 30 Final electrical
- 31 Final Grade (requires final grade certificate)
- 32 Final fire alarm
- 33 Final fire suppression (any associated required test and inspections)
- 34 Final building
- 35 Change of Occupancy:
 - A. Plumbing B. HVAC C. Electric D. Building
- 36 Backflow preventor (irrigation systems)
- 37. Steel (pools)
- 38. Light niche (pools)
- 39. Sidewalk (signs)

BUILDING INSPECTION LIST

*Separate permits are required for Electrical, Plumbing, Irrigation, Heat & A/C, Water/Sewer Installation and Generators.

24 HOUR NOTICE REQUIRED FOR INSPECTION

All inspection fees are based upon inspections made during normal office hours of 7 AM to 5:30 PM, Monday through Thursday, except for holidays observed by the Township. All inspections must be scheduled by 5 PM at least one working day prior to the requested inspection date. Any inspections performed outside the normal office time may be charged special inspection fees at one and one half times the standard inspection rate.

Inspection Line: (248) 594-2818 is available 24 hours a day 7 days a week and is monitored during normal business hours. Inspections called in Saturday or Sunday will be scheduled for the following Tuesday.

Do not ask for an inspection request unless the job is ready, otherwise a re-inspection fee may be required. Partial inspection will be an additional fee also. Re-inspection fee(s) must be paid before a re-inspection can be scheduled. Contractor MUST have the permit number and a job address to schedule an inspection. Inspection times may not be requested due to time constraints.

Online Inspections: To schedule an online inspection go to www.accessmygov.com and log into AccessMyGov (AMG). For more information on accessing online inspections, please click here or call the Building Division at 248.433.7715.

All disciplines (Electrical, Plumbing and Mechanical) permits must be inspected and approved PRIOR to scheduling the rough frame and final building inspections.

One set of approved plans must be at the job site at all times. The inspector may not inspect work if the plans are not available.

Final Building inspection approval DOES NOT grant permission to occupy space. All building permits require a Certificate of Occupancy to be issued PRIOR to moving in.

Application #	
Application Date	



Bloomfield Township P.O. Box 489 4200 Telegraph Bloomfield Hills, MI 48303-0489 Phone (248) 433-7715 Fax: 433-7729 Inspection Line (248) 594-2818 www.bloomfieldtwp.org

Permit #		
Issue Date		

APPLICATION FOR RESIDENTIAL BUILDING PERMIT

To the Township Building Official: The undersigned hereby applies for a permit to build, construct, remodel, and occupy, or to install according to the following statement and further agrees to maintain the property, while under construction, in accordance with all the Codes of the Charter Township of Bloomfield.

Property Owner:		Phone:	Fax:	
E-mail:	Address:			
City:	State:	Zip:		
Builder:	Contact	:	Phone:	
Fax:	Address:		City:	
State: Zip:	Email:			
Architect:	F	Phone:		
E-mail:	Fax:			
Lot No.:	Subdivision:			
Building Site Address:		Sidwell	# (19)	
Area Zoned:	Type of	construction: _		
ZBA variance required? Ye	s □ No □ Date var	iance granted		
Subdivision Association Co	mments? Yes □ No	☐ Estimated	construction cost	
Check one: New building	☐ Addition ☐ Remod	deling De	molition Other	
Construction Description: _				
Residential – Attach three (3) sets of building plans	, including site	olans, DRAWN TO SCALE.	
All accessory structures mu	ust be screened accordin	ng to Township	Ordinance.	
Soil erosion control installed? Yes □ No □ Crushed concrete driveway installed? Yes □ No				
Property identified by addre	ess at site? Yes □ No			

APPLICATION FOR RESIDENTIAL BUILDING PERMIT - 2

STATE OF MICHIGAN REQUIRED INFORMATION

Builder's License #	Expiration Date:
Federal employer I.D. # or reason	for exemption:
Worker's Comp. Insurance carrier	or reason for exemption:
MESC Employer # or reason for e	exemption:
Property identified by address at s	site? Yes □ No □
Does property contain: Wetlands,	floodplain or natural features? Yes □ No □
Does this project contain hazardou	us material, etc? Yes □ No □
shall become invalid if the author the authorized work is suspended work. A PERMIT WILL BE CLOS	s work is progressing and inspections are requested and conducted. A permit rized work is not commenced within 180 days after issuance of the permit or if d or abandoned for a period of 180 days after the time of commencing the SED WHEN NO INSPECTIONS ARE REQUESTED AND CONDUCTED TE OF ISSUANCE OR THE DATE OF A PREVIOUS INSPECTION. CLOSED DED.
	Code Act of 1972, 1972 PA 230, MCL 125.1523a, prohibits a person from conspiring to is state relating to persons who are able to perform work on a residential building or a la are subject to civil fines."
Signature of Applicant	Date:
permits, including final inspections scheduling of final building , election The permits then remain open and permit holder/homeowner. The Bu	roject a variety of inspections will take place on each of the associated is upon completion. Occasionally, contractors/homeowners overlook the <u>rical</u> , <u>mechanical</u> , and <u>plumbing</u> inspections when work is completed. If ultimately expire , which may cause unnecessary difficulties for the uilding Division would like to help you bring your project to a successful uling of necessary inspections, please work closely with your contractor.
Signature of Owner	Date:
Office Use Only	
Registration Fees:	Application Fee:
Plan Review Fee:I	Permit Fee: Square Ft including garage:
Issued/Approved by:	Date:



Bloomfield Township
P.O. Box 489 4200 Telegraph
Bloomfield Hills, MI 48303-0489
Phone (248) 433-7715 ■ Fax: 433-7729
Inspection Line (248) 504 2818

Inspection Line (248) 594-2818 **Website: www.bloomfieldtwp.org**

۸	DDI	ICA		I FOR	DED	МЛІТ
н	MPL	_ICA	HUN	IFUR	PER	IVII I

lecue	Data
issue	Date

Permit #

ELECTRI	c 🗆		PLUMBING			SEWER	
Address of jo	ob dc						
		Sub				_ Section	
Applicant					Phone		
Email					Fax		
Address			City		Sta	ate Zip _	
Property Ow	ner				Phone		
☐ New Bui	lding 🗌	Addition Remodeli	ing 🗌 Repai	rs □ Re _l	olacement	Other	
	•	ired on site for all projects					
	☐ Rear Y	′ard ☐ Side Yard (re	equires screenin	g & site plan) Number o	f units	
	Mech. Equ	ipment Type 🔲 Hydr	onic 🗌 Forc	ed Air 🗌	Boiler Num	nber of units	
	Mechanica	l classifications 1 2	3 4 5	6 7 8	9 10		
Generators:	See Gener	ator Application Process.					
	forr	urrent ten thousand dolla m (copies not acceptable) requested	• •	•	•	•	
Work Descri	ption	·					_
		s required for work being					
STATE OF	MICHIGA	N REQUIRED INFORM	MATION: (Mus	t provide c	opies of lice	enses)	
License Num	nber		Issued by		Ехр.	Date	
Federal Emp	oloyer ID nu	mber or reason for exem	ption				
Workers Cor	mp Insurand	ce Carrier or reason for ex	xemption				
MESC Empl	oyer numbe	er or reason for exemption	າ				
becor work i CLOS	me invalid if t is suspended SED WHEN N	valid as long as work is prog he authorized work is not co d or abandoned for a period NO INSPECTIONS ARE RE HE DATE OF A PREVIOUS	ommenced within of 180 days after EQUESTED AND	180 days afte the time of co CONDUCTE	er issuance of the commencing the DWITHIN 180 I	ne permit or if the work. A PERMIT DAYS OF THE D	authorize 「WILL BE ATE OF

"Section 23a of the State Construction Code Act of 1972, 1972 PA 230, MCL 125.1523A, prohibits a person from conspiring to circumvent the licensing requirements of this state relating to persons who are to perform work on a residential building or a residential structure. Violators of Section 23a are subjected to civil fines."

Signature of Applicant _____ Date ____

Bloomfield Township P.O. Box 489 4200 Telegraph Bloomfield Hills, MI 48303-0489 Phone (248) 433-7715 Fax: 433-7729

Inspection Line (248) 594-2818 www.bloomfieldtwp.org

Permit # Issue Date

APPLICATION FOR MECHANICAL PERMIT

Address of Job	Lot #		Sidwell #	
Subdivision	Applicant/C	ontractor		
Email	Telephone		Fax	
Address	City		State	Zip
Property Owner		Telepho	ne	
□ New Construction □ Addition	☐ Remodel ☐	Repairs Repairs	eplacement	☐ Generator
		Fee	No.	Amount
Application Fee (due with each application	cation & non-fundable)			\$35
Base Fee (due with each application	<u>& non-fundable)</u>			\$50
New Construction				
New Construction (one furnace, one A/C*	w/duct work)	200		
Each additional # furnace and/or #	A/C*	80		
Prefab fireplace (2 insp.)		100		
Gas-line (Provide pressure test & final)		80		
Addition/Alteration/Replacement				
Single inspection (Description Installation of # furnace and/or #)	50		
	_ A/C* per unit	50		
Duct/vet alterations (2 insp.)		100		
Prefab fireplace (2 insp.)		100		_
Gas-line (Provide pressure test & final)	or nor unit	80		_
# Air handlers or/and # unit heat	er, per unit	50		_
Processed Piping Boiler installation (over 500,000 BTU's bo	ilors liconso roquirod)	120 50		
Re-inspection Fee	ilers licerise required)	75		
Mechanical Registration		15	-	
Wediamoa Registration		10		
Commercial Fees – Assessed at plan revi Description	ew by the inspector – per	r insp. 250		
(Call 248-433-7715 for fees)				
Self-contained HVAC units, per unit		50		
Total Due			\$	
*Indicate <u>NEW</u> exterior equipment location:	☐ Rear Yard ☐ Side Y	ard Front Yard	I 🗌 Roof	
For ground equipment locations, you must pro equipment location, setback distance from pro (placement, material and height) & subdivision detailed roof plan, distance from outer wall of Please note that all equipment must be screen Article IV, Sec. 42-5.1. Final inspection will no	perty line(s), distance from n comments. For commercia building to equipment, screen ned from view per the Code	wall of building to eq al roof top equipment ening requirements (s of the Charter Tow	uipment, scree locations, you placement, ma	ening requirements must provide a iterial and height).
Annlicante Signature	Date	Compar	v Name	

APPLICATION FOR MECHANICAL PERMIT - 2

STATE OF MICHIGAN REQUIRED INFORMATION: (Must provide copies of licenses)

License #	_lssued by:	Expiration Date:		
Federal employer I.D. # or reason	for exemption:			
Worker's Comp. Insurance carrie	r or reason for exe	mption:		
MESC Employer # or reason for exemption: A permit remains valid as long as work is progressing and inspections are requested and conducted. A permit shall become invalid if the authorized work is not commenced within 180 days after issuance of the permit or if the authorized work is suspended or abandoned for a period of 180 days after the time of commencing the work. A PERMIT WILL BE CLOSED WHEN NO INSPECTIONS ARE REQUESTED AND CONDUCTED WITHIN 180 DAYS OF THE DATE OF ISSUANCE OR THE DATE OF A PREVIOUS INSPECTION. CLOSED PERMITS CANNOT BE REFUNDED.				
"Section 23a of the Michigan Construction of circumvent the licensing requirements of the residential structure. Violators of Section 23	nis state relating to pers	ons who are able to perform worl		
Signature of Applicant		D	ate:	
Company Name				
Draw the location of ground-moroads as needed.	ounted mechanica	l units below. Add any	additional locations of	
Replacement equipment ONLY: unit or equipment location in rescreening per Township Ordina will be required and performed.	lation to the buildince. If the photog	ling, existing utility hook	<mark>k-up, and existing</mark>	
		House		
-		Road		

CHARTER TOWNSHIP OF BLOOMFIELD SOLID WASTE EXEMPTION REQUEST FORM

Please submit form before suspension start date

PROPERTY / CONTACT INFORMATION			
Property Owner Address:			
Contact Person (if other than owner):			
Day Time Phone:	Ni	ght Time Phone:	
Best Time to Call:			
Check One: Single Family Home	е	Condo or Apt.	
Name of Complex if Condo or Apt:			
SUSPENSION OF SERVICE TYPE			
	_		
EXTENDED VACATION / LEAVE SUSPENSION OF SERVICE	OR	CONSTRUCTION OR DEMOLITION SUSPENSION OF SERVICE	
Departure Date Suspend Service:		Suspend Service Date:	
Return Date		Estimated Resume	
Resume Service:		Service Date:	
NOTE: Extended vacation/leave requests must be for a minimum of 30 days and not exceed 90 days.		NOTE: Construction or demolition suspension of service requests <u>must</u> be accompanied by a proof of permit issued by the Charter Township of Bloomfield.	
OWNER			
Please Print Name:			
Signature of Owner: Date:			
IMPORTANT			

In order for your exemption request form to be considered, the above information must be complete, and the form must be signed and dated at the time of submittal.

Please email or mail your completed exemption request form along with any proof of permit, if applicable to:

Priority Waste Billing Department 45000 River Ridge Dr., Suite 200 Clinton Twp., MI 48038

Email: BloomfieldTwp@prioritywaste.com



Bloomfield Township Building Department Schedule of Building Permit Fees

4200 Telegraph Road P.O. Box 489 Bloomfield Township, MI 48303-0489

(248) 433-7715

Building Permit	Effective date: July 1, 2021
Residential:	
New, Addition, Alterations	\$0.90 sq. ft.
Demolition	\$300.00
Soil Fill, Removal (includes \$140 Engineering fee)	\$245.00
Paving, Driveway	\$120.00
Temporary or Full certificate of occupancy	\$25.00
Commercial:	
New, Addition, Alterations	\$0.75 sq. ft.
Shell only	\$0.45 sq. ft.
Interior "build-out"	\$0.30 sq. ft.
Demolition	\$500.00
Soil Fill, Removal (includes \$210 Engineering fee)	\$780.00
Certificate of Occupancy (includes \$50 Fire fee)	\$100.00
Change of Occupancy (includes \$150 Fire fee)	\$500.00
Sign – wall or ground each	\$100.00
Foundation only	\$200.00
Accessory Building, Swimming pools, decks	\$0.40 sq. ft.
Minimum permit fee	\$120.00
Partial inspection	\$50.00
Re-inspection fee	\$75.00
Builders Registration & Administration fee (annual)	\$30.00
Plus consultant review fee pursuant to Code of Ordinances S	Section 2-111 to 117 (if applicable)



Bloomfield Township Building Department **Schedule of Electrical Permit Fees**

4200 Telegraph Road P.O. Box 489 Bloomfield Township, MI 48303-0489

(248) 433-7715


Electrical Permits	Effective date: July 1, 2021
Application fee	\$35.00
Online application fee	\$2.00
Base fee	\$50.00
Residential:	
New construction residential over 3,500 sq. ft. (include 2 inspections	s) \$650.00
New construction residential under 3,500 sq. ft. (include 2 inspection	ns) \$300.00
Additions, Alterations (include 2 inspections)	\$200.00
Single inspection (1 inspection)	\$50.00
Commercial – inspector assessed during plan review:	0407.00
New, Addition, Alteration (per inspection)	\$125.00
Fire, smoke alarm (plus Fire Department fees)	\$200.00
See Fire Alarm application for additional fees	
Swimming pool (includes 2 inspections)	\$150.00
Low-voltage (include 2 inspections)	\$120.00
Sign (sidewalk & final inspection required)	\$100.00
Re-inspection fee	\$75.00
Electrical Registration & Administration fee (annual)	\$25.00



Bloomfield Township Building Department Schedule of Plan Review Fees

4200 Telegraph Road P.O. Box 489	Bloomfield Township, MI 48303-0489	(248) 433-7715

	Effective date: July 1, 2021
Application fee: (due with application)	
Residential New, Addition, Alteration, Demolition	\$250.00
Accessory Building	\$250.00
Commercial New, Addition, Alteration, Demolition	\$500.00
Online application fee	\$2.00
Plan Review:	
Residence New, Addition, Alterations	\$0.15 sq. ft.
Commercial New, Addition, Alterations	\$0.15 sq. ft.
Plus Electrical, Mechanical or Plumbing plan review each	\$50.00
Plus Fire Department plan review (Fire Marshal)	\$85.00
See Fire Alarm/Fire Suppression application for additional t	lees lees
Plus consultant review fee pursuant to Code of Ordinances Sec	ection 2-111 to 117 (if applicable)
Site/Certificate grade review	\$200.00
Decks, fences, pools, signs, and others minor projects (due with	application) \$30.00
Revision fee after plans have been approved	\$75.00
Revision fee (at 3 rd review request)	\$100.00
Special Engineering Review Deposit (if applicable)	\$300.00 Minimum
Builders Registration and Administration fee (annual)	\$30.00
Other Township Department Review Fees – The applicant shall review fees from other Township Departments/Divisions, inclu Engineering and Environmental Services, Fire, Public Services	ding but not limited to



Bloomfield Township

Building Department Schedule of Plumbing Permit Fees

4200 Telegraph Road P.O. Box 489 Bloomfield Township, MI 48303-0489

(248) 433-7715

Dlumbing Food	ECC-4: 1-4 1-1-1 20/
Plumbing Fees	Effective date: July 1, 202
4. 11	Φ2.5.00
Application fee	\$35.00
Online application fee	\$2.00
Base fee	\$50.00
Residential:	
New Construction – including two baths with shower pan (3 inspe	ections) \$200.00
Plus each additional bath	\$50.00
Cross connections	\$100.00
Water tap, water service, storm sewer	\$200.00
Water service or Sewer service, tap (2 inspections)	\$120.00
Sewer repair, Clean outs (2 inspections)	\$120.00
Addition, Alterations - up to 2 bathrooms (2 inspections)	\$100.00
Addition, Alterations - includes 2 bathrooms & shower pan (3 insp	pections) \$150.00
Plus each additional bath	\$50.00
Lawn sprinkler, back flow preventer	\$30.00
Water heater replacement	\$50.00
Single inspection	\$50.00
Secondary water meter	\$50.00
Commercial fees – inspector assessed during plan review:	
New, Addition, Alteration (per inspection)	\$125.00
Sewer tap, water service, storm sewer	\$250.00
Swimming pool, spas (2 inspections)	\$100.00
Re-inspection fee	\$75.00
Master Plumbing Registration (duration of license)	\$15.00
Sewer contractors bond & Administration fee (annual registration))* \$25.00
*A \$10,000.00 surety bond is required (form completed by insurar proof of experience of sewer installations from other municipalities	