

Orange Lake, Oakland County

2023 Water Quality Summary

The goal of this testing protocol was to monitor various water quality parameters of the lake, compare results to historical data, and identify any potential risks to the health of Orange Lake. Water samples were taken from one location in the lake and tested for various parameters. Field tests and water samples were taken on June 1st and July 20th. This report describes conditions at the times the samples were taken. The quality of the water was tested only to the parameters listed below.

	June 1 st , 2023		July 20 th , 2023		
Parameter	West	East	West	East	Target Range
Temperature	66.3 °F	64.1 °F	77.2 °F	78.5 °F	Less Than 80 °F
Dissolved Oxygen – Concentration	6.9 mg/L	7.4 mg/L	6.8 mg/L	6.5 mg/L	4.0 – 12.0 mg/L
Phosphate	110 ppb	90 ppb	30 ppb	50 ppb	0 – 100 ppb
Nitrate	528 ppb	468 ppb	396 ppb	360 ppb	0 – 1,000 ppb
Transparency	6.6 feet		7.5 feet		More than 6.5 Feet
рН	7.9	7.7	7.5	7.6	7.0 – 9.0 S.U.
Total Dissolved Solids	482 ppm	459 ppm	421 ppm	436 ppm	0 – 1,000 ppm
Conductivity	743 μS	714 μS	693 μS	689 μS	0 – 1,500 μS
Alkalinity	147 ppm	141 ppm	124 ppm	119 ppm	0 – 250 ppm
Hardness	181 ppm	176 ppm	134 ppm	121 ppm	100 – 300 ppm
Salinity	300 ppm	290 ppm	280 ppm	270 ppm	0 – 500 ppm

Preface

2023 was the fourteenth year of our water quality testing on Orange Lake. As we conduct tests over consecutive years, our observations become more accurate in representing the historical averages. The trend lines on the following graphs show the changes from 2009 to 2023. Each successive year of testing will provide more insight into how the lake changed on a long-term scale.

Each test represents a snapshot of the water quality when the sample was pulled. Water quality parameters can change from morning to night, day to day, or year to year. The discussion below will focus on the results listed above. We drew conclusions from the data, timing, and weather, but it is important to understand that each successive year of testing will help support trends and averages and improve our discussion.



9353 Hill Road • Swartz Creek, MI 48473 (810) 635-4400 • Fax (810) 635-4404

www.lakeproinc.com

Discussion

The results of this year's testing indicate that the water of Orange Lake remained relatively healthy throughout 2023. The results show that the aquatic environment was very suitable to support natural wildlife. Also, the lake was safe for recreational uses, such as swimming, boating, fishing, etc., as there are no signs of pollution.

The water **temperatures** were within the target range during spring testing events while summer temperatures were slightly higher, however lower than last year. Colder water can hold more oxygen, so cooler water is better for aquatic organisms. As expected with these water temperatures, the **Dissolved Oxygen** was healthy during both tests.

At the spring test, the concentrations of **Phosphate**, the usable form of phosphorus, were near the upper threshold of the target range. During the late summer test, this nutrient decreased to the lower end. Rainfall and snowmelt in spring often deliver excess nutrients from the watershed. Also, plant production is slow this time of year, so more phosphorus was still unused at the time of the spring test. The decrease from spring to summer was likely helped by aquatic plants utilizing nutrients, removing them from the water column.

The **Nitrate** concentration showed a similar pattern. The nitrate level was within the target range in the spring and decreased further by the summer testing event. The improvement was most likely due to plant uptake and outflow. Although concentrations are still in the target range, residents must ensure their property is not contributing excess inputs such as fertilizers and grass clippings into the lake.

The **Transparency** was above the target depth in the summer. Transparency can be affected by many different factors, including suspended solids, dissolved solids, acids, and algae growth. The clear water is generally a positive attribute, but it also allows more sunlight to reach the lake bottom to fuel plant growth.


The **pH** was within the target during both tests.

The **Total Dissolved Solids** and **Conductivity** were within their target ranges and decreased from spring to summer. This usually occurs in most lakes and is aligned with the nutrient decreases.

The **Alkalinity** and **Hardness** both decreased from spring to summer while remaining within their target ranges. The primary reason for the decreases was biological productivity. As organisms become more active in the summertime, they produce more carbon dioxide. As this gas dissolves, it needs to be buffered, using up the carbonate ions.


The **Salinity** decreased from spring to summer, which aligned with the other chemistry parameters.

Historical Trends



Target Range: < 75°F


The temperature was affected by the dates selected for testing and the weather of each year. As we collect data in subsequent years, the trend line should become a more accurate indicator of the changes in the lake. Overall, the trend did not show any significant changes in the surface temperatures.



Target Range: 4.0 - 12.0 mg/L


As the temperature increases, water holds less oxygen. Despite temperature fluctuations over the testing history, the oxygen concentrations remained very healthy and showed no significant change since testing began.





Target Range: 0 - 100 ppb

Phosphate is a significant nutrient that fuels aquatic plant growth. The historical trend showed a steady increase over the testing history. Lakes are basins that undergo eutrophication, the process of accumulating sediment and nutrients, leading to a shallower depth and more plant growth. This process speeds up over time, so it is vital to maintain the lake's health. This years increase is most likely responsible for this seasons high bioproduction




Target Range: 0 – 1,000 ppb

Nitrate is another vital nutrient for the growth of aquatic plants. This nutrient also increased over the testing history, as well as a slight increase last year. It is crucial residents continue to be conscious of their properties and landscaping methods to ensure more nutrients do not enter the lake.








Target Range: > 6.5 feet


Transparency is affected by total dissolved solids, total suspended solids, algae growth, and rain frequency and amount. Overall, the transparency of the lake increased slightly over the testing history.



Target Range: 7.0 - 9.0 S.U.


There was a slight decrease in pH over the testing history, but it stayed in the target range of 7 to 9. We will look for the pH to level off in future years. If the pH ever continues to decrease at this rate, we will look for the cause of that change to mitigate the trend.





Target Range: 0 – 1,000 ppm


The Total Dissolved Solids decreased from the previous testing events & continues to show a downward trend over the testing history.



Target Range: 0 – 1,500 μS


Like the TDS, Conductivity showed a downward trend. Conductivity measures the amount of ionic molecules in the water (which conduct electricity, usually salts).






Target Range: 0 - 250 ppm

The alkalinity decreased over the testing history. Alkalinity works as a buffer to stabilize the pH when foreign substances enter the lake or when carbon dioxide accumulates. The decreasing alkalinity aligned with the decline in both dissolved solids and conductivity.



Target Range: 100 - 300 ppm

While alkalinity measures the acidic neutralizing capacity, mainly in carbonate, hardness measures the polyvalent cations, such as calcium ions. Since one of the most common salts in the water is Calcium Carbonate, hardness generally follows alkalinity.



Target Range: 0 - 500 ppm

The Salinity decreased slightly over the testing history. A significant concern for lakes is the accumulation of salt, particularly from road salt. It is essential to continue monitoring the salinity in future years to see if this trend worsens.

Conclusion

Overall, the water quality of Orange Lake was excellent this year. The dissolved oxygen remained very healthy even in the heat of summer. Nutrient levels were within their target ranges, but we will continue to watch the long-term increases. The transparency showed improvement. All other water quality parameters were excellent.

Orange Lake is a valuable water resource with healthy water quality despite a heavily developed watershed and homes surrounding the lake. There will always be areas where the quality of the water could improve, primarily nutrients. You should take pride in the lake and continue your efforts toward improving it.

Completed and Certified by:

Michael Smith

Assistant Lake Manager



9353 Hill Road • Swartz Creek, MI 48473 (810) 635-4400 • Fax (810) 635-4404

www.lakeproinc.com

Analysis Information

Temperature: The water temperature directly affects the amount of oxygen that is able to dissolve

into the water. The temperature of surface waters is not indicative of the entire water

column.

Transparency: The ability of light to penetrate the water column is determined by the amount of

dissolved and suspended particles in the water. Although aesthetically desirable, transparent water allows increased light to reach the lake bottom and may result in

vegetation growth.

pH: pH is a measure of acidity or alkalinity. pH is a general measure of lake health and can

roughly indicate the range of other measurements such as alkalinity and hardness.

TDS: Total Dissolved Solids is the amount of all organic and inorganic substances in the water

in a molecular or ionized state. Higher values generally indicate richer and more productive water. Lower values usually indicate cleaner and less productive water.

Conductivity: Conductivity is a measure of the ability of water to conduct electricity. Dissolved ions in

the water increase conductivity, thus TDS and Conductivity are closely related.

Alkalinity: Alkalinity refers to the ability of the water to neutralize acids, mainly through the

hydrogenation of carbonate ions. Therefore, the alkalinity is expressed as "ppm as CaCO₃". However, other basic molecules in the water can also contribute to alkalinity.

Hardness: Hardness is very closely related to alkalinity. It is a measure of the dissolved salts and

metals in the water, including but not limited to CaCO₃.

Salinity: Salinity is the measure of the dissolved salt content of water. Salinity influences the

types of organisms that can survive in the water. Salinity also affects the chemistry of

the water, including conductivity and potability.

Dissolved Oxygen: D.O. is a measure of the amount of oxygen dissolved in the water. This oxygen is

available to fish and other animals for respiration. Vegetation generally increases DO, particularly during the day and early evening. Animals and other respiring organisms consume the oxygen, mostly during the day. Oxygen is also added to the lake through

wave action, rain, fountains and aerators.

Phosphates: Phosphorus is an essential nutrient for plant growth. Phosphate is the form of

phosphorous that is most readily available to plants and algae.

Nitrate: Nitrogen is also essential for plant growth. Nitrate is the predominant form of nitrogen

in water. Excessive nitrate concentrations may also result in pollution and increased

vegetation.

Fecal Coliforms: Non-fecal coliforms are naturally found as soil organisms. Fecal Coliforms, such as *E. coli*,

are coliforms found in the intestines of warm-blooded animals and humans. The presence of fecal coliforms indicates contamination from either animals or humans.



9353 Hill Road • Swartz Creek, MI 48473 (810) 635-4400 • Fax (810) 635-4404

www.lakeproinc.com

Trophic States

Oligotrophic: Water is very clear. Nutrient levels are generally low. Plant and algae productivity are

also low. Sufficient dissolved oxygen in the bottom, cooler waters allows cold-water fish

to survive, such as salmon and trout.

Mesotrophic: Water is moderately clear. Nutrient levels are slightly elevated. Plant and algae

productivity are present, but generally not a nuisance. Oxygen and temperature in the

lower portion of the lake allow walleye and perch to survive.

Eutrophic: Water is not clear due to high nutrients levels, increased turbidity, and excessive algal

growth. There is no oxygen in the bottom, cooler waters, restricting the lake to warm

water species, such as bass and bluegill.

Hypereutrophic: Nutrient levels are extremely high, promoting very high algae productivity. Blue-green

algae blooms are likely. High turbidity and algae growth make the water opaque. Little

plant growth is restricted to invasive plants. The only fish that can survive this

environment are rough fish, such as carp, catfish, and mudminnows.